

Gestion sanitaire des ruches à mâles

SANITAIRE

Amiri E., Meixner Md., Kryger P., 2016, « Deformed wing virus can be transmitted during natural mating in honey bees and infect the queens », *Scientific Reports*, 6, 33065.

Chen Yp., Evans J., Feldlaufer Mf., 2006, « Horizontal and vertical transmission of viruses in the honey bee, *Apis mellifera* », *Journal of Invertebrate Pathology*, 92(3), p. 152-159.

Chen Yp., Pettis Js., Collins A., Feldlaufer Mf., 2006, « Prevalence and transmission of honey bee viruses », *Applied and Environmental Microbiology*, 72(1), p. 606-611.

De Guzman Li., Rinderer Te., Lancaster Va., Delatte Gt., Stelzer A., 1999, « Varroa in the mating yard: The effects of formic acid gel formulation on drone production », *American Bee Journal*, 139(4), p. 304-307.

De Miranda Jr., Fries I., 2008, « Venereal and vertical transmission of deformed wing virus in honeybees (*Apis mellifera* L.) », *Journal of Invertebrate Pathology*, 98(2), p. 184-189.

Duay P., De Jong D., Engels W., 2002, « Decreased flight performance and sperm production in drones of the honey bee (*Apis mellifera*) slightly infested by *Varroa destructor* mites during pupal development », *Genetics and Molecular Research*, 1(3), p. 227-232.

Fisher A., Rangel J., 2018, « Exposure to pesticides during development negatively affects honey bee (*Apis mellifera*) drone sperm viability », *PLoS ONE*, 13(12), e0208630.

Kairo G., et al., 2017, « *Nosema ceranae*, Fipronil and their combination compromise honey bee reproduction via changes in male physiology », *Scientific Reports*, 7, 8556.

Kairo G., et al., 2017, « Assessment of the toxicity of pesticides on honey bee drone fertility using laboratory and semi-field approaches: a case study of fipronil », *Environmental Toxicology and Chemistry*, 36(9), p. 2345-2351.

- Kairo G., *et al.*, 2016, « Drone exposure to the systemic insecticide Fipronil indirectly impairs queen reproductive potential », *Scientific Reports*, 6, 31904.
- McAfee A., *et al.*, 2025, « Factors affecting heat resilience of drone honey bees (*Apis mellifera*) and their sperm », *PLoS ONE*, 20(2), e0317672.
- Metz B. N., *et al.*, 2024, « Physiological trade-offs in male social insects: Interactions among infection, immunity, fertility, size, and age in honey bee drones », *Journal of Insect Physiology*, 159, 104720.
- Metz BN., *et al.*, 2019, « Reproductive senescence in drones of the honey bee (*Apis mellifera*) », *Insects*, 10(1), 11.
- Odemer R., Odemer F., Liebig G., De Craigher D., 2022, « Temporal increase of Varroa mites in trap frames used for drone brood removal during the honey bee season », *Journal of Applied Entomology*, 146(9), p. 1207-1211.
- Peng Y., Baer-Imhoof B., Harvey Millar, A., Baer B., 2015, « Consequences of *Nosema apis* infection for male honey bees and their fertility », *Scientific Reports*, 5, 10565.
- Phokasem P., Liuhaio W., Panjad P., Yujie T., Li J., Chantawannakul P., 202, « Differential Viral Distribution Patterns in Reproductive Tissues of *Apis mellifera* and *Apis cerana* Drones », *Frontiers in Veterinary Science*, 8, 608700.
- Prodělalová J., Moutelíková R., Titěra D., 2019, « Multiple virus infections in western honeybee (*Apis mellifera* L.) ejaculate used for instrumental insemination », *Viruses*, 11(4), 306.
- Rangel J., Fischer A., 2019, « Factors affecting the reproductive health of honey bee (*Apis mellifera*) drones—a review », *Apidologie*, 50, p. 759-778.
- Roberts K.E., Evison S.E.F., Baer B., Hughes W.O.H., 2015, « The cost of promiscuity: sexual transmission of *Nosema* microsporidian parasites in polyandrous honey bees », *Scientific Reports*, 5, 10982.
- Shoukry R. S., Khatatby A. M., El-Sheakh A. A., Abo-Ghaila A. H., Elbanna S. M., 2013, « Effect of some materials for controlling Varroa mite on the honeybee drones (*Apis Mellifera* L.) », *Egyptian Journal of Agricultural Research*, 91(3), p. 825–834.
- Straub L., *et al.*, 2016, « Neo-nicotinoid insecticides can serve as inadvertent insect contraceptives », *Proceedings of the Royal Society B: Biological Sciences*, 283(1835), 20160506.
- Trouiller J., Arnold G., Chappe B., Le Conte Y., Masson C., 1992, « Basis of infestation of honey bee brood by *Varroa jacobsoni* », *Journal of Chemical Ecology*, 18, p. 2041-2053.

Yanis J.L., Silvestre M.A., Santolaria P., 2020, « Sperm quality assessment in honey bee drones », *Biology*, 9(7), 174.

Yue C., Schröder M., Bienefeld K., Genersch E., 2006, « Detection of viral sequences in semen of honeybees (*Apis mellifera*): Evidence for vertical transmission of viruses through drones », *Journal of Invertebrate Pathology*, 92(2), p. 105-108.

Autres sources :

- Fert P., 2025, « Les pathologies de la reproduction », Cours du DIE Api 2025.
- Saget K., 2025, « Les mycoses du couvain. L'Ascospéroïse », Cours du DIE Api 2025.
- Saget K., 2025, « Acarapidose », Cours du DIE Api 2025.
- Seyfarth W., « L'élevage des faux-bourçons »
www.2imanagement.ch/fr/divers/liens/wwwapisavoirch/lelevage-de-faux-bourcons-400
- Scientific Beekeeping, 2026
<https://scientificbeekeeping.com/randys-varroa-model/>. Consulté le 25/07/25 •

Faut-il s'inquiéter des infections à protozoaires chez les abeilles ?

SANITAIRE

Arismendi N., *et al.*, 2020, « Impact of mixed infections of gut parasites *Lotmaria passim* and *Nosema ceranae* on the lifespan and immune-related biomarkers in *Apis mellifera* », *Insects*, 11, 420.

Figueroa L. L., *et al.*, 2021, « Functional traits linked to pathogen prevalence in wild bee communities », *Scientific Reports*, 11, 7529.

Frolov A. O., Kostygov A. Y., Yurchenko V., 2021, « Development of monoxenous trypanosomatids and phytomonads in insects », *Trends in Parasitology*, 37, p. 538–551.

Lipa J. J., Triggiani O., 1992, « A newly recorded neogregarine (Protozoa, Apicomplexa), parasite in honey bees (*Apis mellifera*) and bumble bees (*Bombus* spp.) », *Apidologie*, 23, p. 533–536.

Liu T. P., 1985, « Scanning electron microscope observations on the pathological changes of Malpighian tubules in the worker honey bee, *Apis mellifera*, infected by *Malpighamoeba mellificae* », *Journal of Invertebrate Pathology*, 46, p. 125–132.

Maharramov J., *et al.*, 2013, « Genetic variability of the neogregarine *Apicystis bombi*, an etiological agent of an emergent bumblebee disease », *PLoS ONE*, 8, e81475.

Nocelli R. C. F., *et al.*, 2016, « Comparative physiology of Malpighian tubules: form and function », *Open Access Insect Physiology*, 6, p. 13–23.

Ocepek M. P., *et al.*, 2021, « The pathogens spillover and incidence correlation in bumblebees and honeybees in Slovenia », *Pathogens*, 10, 884.

Ravoet J., *et al.*, 2013, « Comprehensive bee pathogen screening in Belgium reveals *Crithidia mellificae* as a new contributory factor to winter mortality », *PLoS ONE*, 8, e72443.

Schäfer M. O., Horenk J., Wylezich C., 2022, « Molecular detection of *Malpighamoeba mellificae* in honey bees », *Veterinary Sciences*, 9, 148.

Schoonvaere K., *et al.*, 2020, « Comparison between *Apicystis cryptica* sp. n. and *Apicystis bombi* (Arthrogregarida, Apicomplexa): gregarine parasites that cause fat body hypertrophism in bees », *European Journal of Protistology*, 73, 125688.

Stabentheiner A., Kovac H., Hetz S. K., Käfer H., Stabentheiner G., 2012, « Assessing honeybee and wasp thermoregulation and energetics — new insights by combination of flow-through respirometry with infrared thermography », *Thermochimica Acta*, 534, p. 77–86.

Steche W., Held T., 1981, « Rasterelektronenmikroskopische Untersuchungen über die Ontogenie von *Nosema apis* Zander », *Apidologie*, 12, p. 185–207.

Strobl V., *et al.*, 2019, « Trypanosomatid parasites infecting managed honeybees and wild solitary bees », *International Journal for Parasitology*, 49, p. 605–613.

Tokarev Y. S., *et al.*, 2020, « A formal redefinition of the genera *Nosema* and *Vairimorpha* (Microsporidia: Nosematidae) and reassignment of species based on molecular phylogenetics », *Journal of Invertebrate Pathology*, 169, 107279.

Trawinski A. M., Fahrbach S. E., 2018, « Queen mandibular pheromone modulates hemolymph ecdysteroid titers in adult *Apis mellifera* workers », *Apidologie*, 49, p. 346–358.

Vargas M., *et al.*, 2017, « Viral and intestinal diseases detected in *Apis mellifera* in Central and Southern Chile », *Chilean Journal of Agricultural Research*, 77, p. 243–249.

Vavilova V. Y., *et al.*, 2017, « Parasites of the genus *Nosema*, *Crithidia* and *Lotmaria* in the honeybee and bumblebee populations: a case study in India », *Vavilovskii Zhurnal Genetiki i Selektzii*, 21, p. 943–951.

Zerek A., 2022, « Prevalence of *Nosema* and *Amoeba* infections in beekeeping farms in Hatay province », *Turkish Journal of Agricultural and Natural Sciences*, 9, p. 976–981. •

Le sommeil des abeilles (*Apis mellifera*)

RECHERCHE

Beyaert L., Greggers U., Menzel R., 2012, « Honeybees consolidate navigation memory during sleep », *Journal of Experimental Biology*, 215, p. 3981–3988.

<https://doi.org/10.1242/jeb.075499>

Cardoso-Junior C. A. M., Ronai I., Hartfelder K., Oldroyd B. P., 2020, « Queen pheromone modulates the expression of epigenetic modifier genes in the brain of honeybee workers », *Biology Letters*, 16, 20200440.

<https://doi.org/10.1098/rsbl.2020.0440>

Döke M. A., Frazier M., Grozinger C. M., 2015, « Overwintering honey bees: biology and management », *Current Opinion in Insect Science*, 10, p. 185–193.

<https://doi.org/10.1016/j.cois.2015.05.014>

Eban-Rothschild A. D., Bloch G., 2008, « Differences in the sleep architecture of forager and young honeybees (*Apis mellifera*) », *Journal of Experimental Biology*, 211, p. 2408–2416.

<https://doi.org/10.1242/jeb.016915>

Eban-Rothschild A., Bloch G., 2012, « Social influences on circadian rhythms and sleep in insects », *Advances in Genetics*, 77, p. 1–32.

<https://doi.org/10.1016/B978-0-12-387687-4.00001-5>

Eban-Rothschild A., Bloch G., 2015, « The colony environment modulates sleep in honey bee workers », *Journal of Experimental Biology*, 218, p. 404–411.

<https://doi.org/10.1242/jeb.110619>

Evans J. D., Spivak M., 2010, « Socialized medicine: individual and communal disease barriers in honey bees », *Journal of Invertebrate Pathology*, 103, p. S62–S72.

<https://doi.org/10.1016/j.jip.2009.06.019>

Fuchikawa T., Beer K., Linke-Winnebeck C., Ben-David R., Kotowoy A., Tsang V. W. K., Warman G. R., Winnebeck E. C., Bloch G., 2016, «Potent social synchronization can override photic entrainment of circadian rhythms», *Nature Communications*, 7, 11662.
<https://doi.org/10.1038/ncomms11662>

Giurfa M., 2015, «Learning and cognition in insects», *Wiley Interdisciplinary Reviews: Cognitive Science*, 6, p. 383–395.
<https://doi.org/10.1002/wcs.1348>

Johnson J. N., Hardgrave E., Gill C., Moore D., 2010, «Absence of consistent diel rhythmicity in mated honey bee queen behavior», *Journal of Insect Physiology*, 56, p. 761–773.
<https://doi.org/10.1016/j.jinsphys.2010.01.004>

Kaiser W., Steiner-Kaiser J., 1983, «Neuronal correlates of sleep, wakefulness and arousal in a diurnal insect», *Nature*, 301, p. 707–709.
<https://doi.org/10.1038/301707a0>

Kaiser W., 1988, «Busy bees need rest, too: behavioural and electromyographical sleep signs in honeybees», *Journal of Comparative Physiology A*, 163, p. 565–584.
<https://doi.org/10.1007/BF00603841>

Kim A. Y., Velazquez A., Saavedra B., Smarr B., Nieh J. C., 2024, «Exposure to constant artificial light alters honey bee sleep rhythms and disrupts sleep», *Scientific Reports*, 14, 25865.
<https://doi.org/10.1038/s41598-024-73378-9>

Kirchner W. H., 1993, «Acoustical communication in honeybees», *Apidologie*, 24, p. 297–307.
<https://doi.org/10.1051/apido:19930309>

Klein B. A., Klein A., Wray M. K., Mueller U. G., Seeley T. D., 2010, «Sleep deprivation impairs precision of waggle dance signaling in honey bees», *Proceedings of the National Academy of Sciences*, 107, p. 22705–22709.
<https://doi.org/10.1073/pnas.1009439108>

Klein B. A., Olzowy K. M., Klein A., Saunders K. M., Seeley T. D., 2008, «Caste-dependent sleep of worker honey bees», *Journal of Experimental Biology*, 211, p. 3028–3040.
<https://doi.org/10.1242/jeb.017426>

Klein B. A., Seeley T. D., 2011, « Work or sleep? Honeybee foragers opportunistically nap during the day when forage is not available », *Animal Behaviour*, 82, p. 77–83.

<https://doi.org/10.1016/j.anbehav.2011.03.026>

Klein B. A., Stiegler M., Klein A., Tautz J., 2014, « Mapping sleeping bees within their nest: spatial and temporal analysis of worker honey bee sleep », *PLOS ONE*, 9, e102316.

<https://doi.org/10.1371/journal.pone.0102316>

Klein B. A., Busby J., 2020, « Slumber in a cell: honeycomb used by honey bees for food, brood, heating... and sleeping », *Animal Behaviour*, 167, p. 105–119.

<https://doi.org/10.1016/j.anbehav.2020.07.004>

Minaud E., Rebaudo F., Mainardi G., Vardakas P., Hatjina F., Steffan-Dewenter I., Requier F., 2024, « Temperature in overwintering honey bee colonies reveals brood status and predicts colony mortality », *Ecological Indicators*, 169, 112961.

<https://doi.org/10.1016/j.ecolind.2024.112961>

Moguilner S., Tiraboschi E., Fantoni G., Strelevitz H., Soleimani H., Del Torre L., Hasson U., Haase A., 2025, « Neuronal correlates of sleep in honey bees », *Neural Networks*, 189, 107575.

<https://doi.org/10.1016/j.neunet.2025.107575>

Nagari M., Brenner Y., Bloch G., 2017, « Nurse honeybee workers tend capped-brood, which does not require feeding, around-the-clock », *Journal of Experimental Biology*, 220, p. 4130–4140.

<https://doi.org/10.1242/jeb.166884>

Neubauer L. C., Davidson J. D., Wild B., Dormagen D. M., Landgraf T., Couzin I. D., Smith M. L., 2023, « Honeybee drones are synchronously hyperactive inside the nest », *Animal Behaviour*, 203, p. 207–223.

<https://doi.org/10.1016/j.anbehav.2023.05.018>

Nieh J. C., Tautz J., 2000, « Behaviour-locked signal analysis reveals weak 200–300 Hz comb vibrations during the honeybee waggle dance », *Journal of Experimental Biology*, 203, p. 1573–1579.

<https://doi.org/10.1242/jeb.203.10.1573>

Nouvian M., Reinhard J., Giurfa M., 2016, « The defensive response of the honeybee *Apis mellifera* », *Journal of Experimental Biology*, 219, p. 3505–3517.

<https://doi.org/10.1242/jeb.143016>

Oliver R., 2016, « The physics of the winter cluster », *Scientific Beekeeping*.

<https://scientificbeekeeping.com/the-physics-of-the-winter-cluster>

Oskin S. V., Ovsyannikov D. A., 2019, « Modeling the main physical processes in beehives », *Biophysics*, 64, p. 129–136.

<https://doi.org/10.1134/S0006350919010159>

Oskin S. V., Ovsyannikov D. A., Shishigin I. N., 2022, « Modeling beehive microclimate at the end of wintering », *Biophysics*, 67, p. 85–91.

<https://doi.org/10.1134/S0006350922010122>

Pankiw T., 2004, « Cued in: honey bee pheromones as information flow and collective decision-making », *Apidologie*, 35, p. 217–226.

<https://doi.org/10.1051/apido:2004009>

Pinheiro M., Alves-Dos-Santos I., Sazima M., 2017, « Flowers as sleeping places for male bees: somehow the males know which flowers their females prefer », *Arthropod-Plant Interactions*, 11, p. 329–337.

<https://doi.org/10.1007/s11829-017-9532-6>

Reyes M., Crauser D., Prado A., Le Conte Y., 2019, « Flight activity of honey bee (*Apis mellifera*) drones », *Apidologie*, 50, p. 669–680.

<https://doi.org/10.1007/s13592-019-00677-w>

Seeley T. D., Visscher P. K., 1985, « Survival of honeybees in cold climates: the critical timing of colony growth and reproduction », *Ecological Entomology*, 10, p. 81–88.

<https://doi.org/10.1111/j.1365-2311.1985.tb00537.x>

Seeley T. D., 2019, *The Lives of Bees: The Untold Story of the Honey Bee in the Wild*, Princeton University Press.

Siehler O., Bloch G., 2020, « Colony volatiles and substrate-borne vibrations entrain circadian rhythms and are potential cues mediating social synchronization in honey bee colonies », *Journal of Biological Rhythms*, 35, p. 246–256.

<https://doi.org/10.1177/0748730420913362>

Slessor K. N., Winston M. L., Le Conte Y., 2005, « Pheromone communication in the honeybee (*Apis mellifera* L.) », *Journal of Chemical Ecology*, 31, p. 2731–2745.

<https://doi.org/10.1007/s10886-005-7623-9>

Spivak M., Reuter G. S., 2001, « Resistance to American foulbrood disease by honey bee colonies *Apis mellifera* bred for hygienic behavior », *Apidologie*, 32, p. 555–565.
<https://doi.org/10.1051/apido:2001103>

Spivak M., Danka R. G., 2021, « Perspectives on hygienic behavior in *Apis mellifera* and other social insects », *Apidologie*, 52, p. 1–16.
<https://doi.org/10.1007/s13592-020-00784-z>

Stabentheiner A., Kovac H., Mandl M., Käfer H., Crailsheim K., 2021, « Coping with the cold and fighting the heat: thermal homeostasis of a superorganism, the honeybee colony », *Journal of Comparative Physiology A*, 207, p. 337–351.
<https://doi.org/10.1007/s00359-021-01464-8>

Stabentheiner A., Kovac H., Schmaranzer S., 2003, « Endothermic heat production in honeybee winter clusters », *Journal of Experimental Biology*, 206, p. 353–358.
<https://doi.org/10.1242/jeb.00082>

Tackenberg M. C., Giannoni-Guzmán M. A., Sanchez-Perez E., Doll C. A., Agosto-Rivera J. L., Broadie K., Moore D., McMahon D. G., 2020, « Neonicotinoids disrupt circadian rhythms and sleep in honey bees », *Scientific Reports*, 10, 17929.
<https://doi.org/10.1038/s41598-020-72041-3>

Tautz J., 2008, *The Buzz about Bees: Biology of a Superorganism*, Springer.
<https://doi.org/10.1007/978-3-540-78729-7>

Traynor K. S., Le Conte Y., Page R. E., 2014, « Queen and young larval pheromones impact nursing and reproductive physiology of honey bee (*Apis mellifera*) workers », *Behavioral Ecology and Sociobiology*, 68, p. 2059–2073.
<https://doi.org/10.1007/s00265-014-1811-y>

Zwaka H., Bartels R., Lehmann K., Jungeblut T., Hober J., Menzel R., 2015, « Context-odor presentation during sleep enhances memory in honeybees », *Current Biology*, 25, p. 2869–2874.
<https://doi.org/10.1016/j.cub.2015.09.069> •